

Function: Form: Fashion







onna-120

Freestanding Tub Filler


Installation & Care Manual **USA / CANADA**








PARTS LIST



- 1. Tub Filler Spout
- 2. Body
- 3. Standing Tube
- 4. Floor Escutcheon
- 5. Inter Tube Metal Pipe x 2
- 6. Connect Parts
- 7. Conceal Box
- 8. Hand Shower and Hose

YOU WILL NEED:

- Plumber's Putty
- Pipe Tape
- Adjustable Wrench
- Pliers
- Philips Screwdriver






Aquaticausa.com Aquaticabath.ca E: info@aquaticabath.com



INSTALLATION SEQUENCE




Function: Form: Fashion



CLEANING & CARE:

and cleaning pads.

To clean, use light, noin-abrasive cleaning



Care should be exercised when cleaning this product. Although its finish is durable, it can be damaged from harsh abrasives

solution or cleaning polish.

IMPORTANT NOTE:

- Installation to be performed by qualified personnel
- Before connecting to mains, bleed the pipes to avoid damage.



2d. Connect hot & cold water from the source to the inlets on conceal box. Wrap the threads

teflon tape (not included).

plate to the connect parts.

on the one end of the pipe with pipe tape or

Screw the adapters into the female fittings.

Tighten the screws from the bottom of the

2e. Screw connect parts to the standing tube.

Align the plate with the connect parts.






INSTALLATION SEQUENCE


aquatica

Function: Form: Fashion

2 CONCEAL BOX INSTALLATION STEPS continued



- **2f.** Screw the plate onto the bottom of the faucet base with the 4 hex screws provided.
 - Insert the assembled faucet body into the conceal box. Insert the inlet pipe to the hot and cold outlet tube of the conceal box.



- ${\bf 2g.}$ Tighten the plate to the conceal box. Place the cover.
- 2h. Install the hose to the hand shower and the tub filler. Please check the tub filler spout and hand shower water flow are functioning correctly.

aquatica®

Function: Form: Fashion







AQUATICA PLUMBING EUROPE LTD VAT: LV40103634778 'Dienvidi" Industrial Park Daugmales pagasts, Kekavas novads LV-2124 Latvia

Conforms to: BS EN 14516:2015+A1:2018, ASME A112.19.7-17/CSA B45.10-17